

U.S. Officials Only

~~CONFIDENTIAL~~

SECURITY INFORMATION

CENTRAL INTELLIGENCE AGENCY,
INFORMATION REPORT

50X1-HUM

COUNTRY Germany

SUBJECT New Type Anti-Tank Vehicle

REPORT

DATE DISTR. 8 Sept 52 50X1-HUM

NO. OF PAGES 3

NO. OF ENCLS. 1

SUPP. TO
REPORT NO. 50X1-HUM

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794, OF THE U.S. CODE, AS AMENDED. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. THE REPRODUCTION OF THIS REPORT IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

"A REVOLUTIONARY, NEW ANTI-TANK VEHICLE"

50X1-HUM

1. ☐ General Development: During the war years 1943 and 1944, the German headquarters were forced to solve the problem of finding a weapon against all the heavy weapons that were produced, particularly by the Americans but also by the Russian war attacks. Considering the conditions in Germany, this seemed to be an absolute impossibility. Still, a way had to be found to master the situation. And it was - but too late. 50X1-HUM

3. "The trial use of these vehicles, while we still had the facilities for building series of thousands of them, would have influenced the outcome of the war considerably and started a new phase of anti-tank fighting. ☐ apply quite new battle strategy to reach the goals is natural, and depends on the revolutionary new construction of the anti-tank vehicle. ☐ an "anti-tank vehicle shock" for the enemies (Front experience). ☐ The results at that time (the operation of two anti-tank vehicles: individually operated), proved the logic of ☐ front experience and laboratory work. They lead to the reality of the following constructions under the consideration of determining requirements, as:-

- (a) To neutralize the penetrating fire-power of an army.
- (b) To guarantee greatest results by simplest means.
- (c) To warrant the defense against extermination of enemy tanks and to make use of it. 50X1-HUM

U.S. Officials Only

~~CONFIDENTIAL~~

SECURITY INFORMATION

DISTRIBUTION →	STATE	<input checked="" type="checkbox"/> ARMY	<input checked="" type="checkbox"/> EV	<input checked="" type="checkbox"/> NAVY	<input checked="" type="checkbox"/> AIR	<input checked="" type="checkbox"/> FBI				
----------------	-------	--	--	--	---	---	--	--	--	--

CONFIDENTIAL SECURITY INFORMATION/
US OFFICIALS ONLY

-2-

50X1-HUM

- (d) To reach the last state of simplicity in the series-building of these vehicles.
- (e) The new way of building makes it possible to start production without long preparations and to use unskilled labour, as no precision work is necessary.
- (f) The particular construction characteristics are in the absolute simplicity, (which makes the production cheap) - which enables technically untrained soldiers to learn to operate and service the vehicle very quickly.
- (g) The vehicle can be used for all sorts of front tanks.
- (h) No more tests or experimenting with the vehicle are to be made.
- (i) Provisions to equip an army with it can be made immediately.
- (j) An army can be equipped with it within a few weeks. 50X1-HUM
4. ☐ During the past years' front experience - compared to the experience in Korea and Indo-China - exact front technical tests and revisions have been made, and kept secret until now. 50X1-HUM
5. ☐ Vehicle Specifications: The anti-tank vehicle 'Wolf' has been built as an absolutely new type of battle vehicle with the concrete experience from the front. Because of its low build and inconspicuousness in terrain, the vehicle has the best possible camouflage and cover. It is very hard to notice for the enemy; both from the ground and from the air. 50X1-HUM
6. ☐ Motor: The power unit is demountable and motors with drive shaft or with chain drive can be used. Any motor can be built in and easily exchanged. Accordingly the vehicle can be ready for use quickly when motor repairs are required. 50X1-HUM
7. ☐ Chassis: The chassis is built after the piece assembly system and built from standard profiles 40 x 40 x 2. The construction is very rigid and abandons all twists in the chassis. A mine sweeper can be mounted at the front end, which makes the vehicle useful for other front tasks, too. 50X1-HUM
8. ☐ Steering: The steering is of rotating type with steel wires and with track changing, removable steering knuckle. This gives the vehicle the optimal turning and maneuverability in terrain. The vehicle can turn on the spot and can go through passages that are one-third narrower than the whole vehicle itself. 50X1-HUM
9. ☐ Suspension: Neander's reversible spring suspension, which operates on tension and pressure load, has always been able to prove its uniqueness. Tension spring suspension at the center of gravity and mass curve-inclination device, granted at all speeds during attack for so-called zig-zag driving. 50X1-HUM
10. ☐ Tank: New tank fastening. Radius of action varying. 300 to 400 miles. 50X1-HUM
11. ☐ Carburettor booster: Up to 20% gas saving. No thinning out of the motor oil occurs and accordingly longer engine life. The motor is more flexible with excellent lugging power, which calls for fewer gear changes. 50X1-HUM
12. ☐ Fighting Equipment: On both sides, that is, to the left and to the right of the rifle men, there are three tank busters on a movable attachment foundation, which are coupled with aiming mechanism. Fighting equipment is variable.

CONFIDENTIAL SECURITY INFORMATION/
US OFFICIALS ONLY

CONFIDENTIAL SECURITY INFORMATION/
US OFFICIALS ONLY

-3-

50X1-HUM

13. Rifleman: The riflemen operate in lying position, which gives more protection and enables the driver and others to react quicker.

50X1-HUM

14. Height: Maximum height, including weapons, 1050 mm. (41")

50X1-HUM

15. Length: Total length 2450 mm. (97")

50X1-HUM

16. Width: Total width 1450 mm. (57")


50X1-HUM

-- end --

CONFIDENTIAL SECURITY INFORMATION/
US OFFICIALS ONLY

CONFIDENTIAL

Page Denied



50X1-HUM